



6929 N. Lakewood Avenue
Tulsa, OK 74117

SHORT TERM PUBLIC NOTICE UNDER RULE 51.333(a)

August 25, 2020

Carrier: Verizon New York Inc., 140 West Street, New York, NY 10007

Contact: For additional information on these planned network changes, please contact:

Marcia Chaffin
Verizon Network Engineering
385 Myles Standish Blvd.
Taunton, MA 02780
978-552-3638

John Dunne
Manager – Global Engineering and System Performance
Verizon Wireline Network Operations
999 W Main St., 04 FLR, Freehold, NJ USA 07728
732-683-5126

Implementation Date: On or after February 1, 2021

Planned Network Change(s) will occur at the following location(s) in New York:

Verizon Central Office	Address	CLLI
Canastota NY DMS10 switch	North Side Hickory Street Canastota, NY 13032	CNSTNYZADS0
Syracuse NY Packet End Office switch	201 South State Street Syracuse, NY 13202	SYRCNYSUPS0

This notice may also be viewed at <http://www.verizon.com/about/terms-conditions/network-disclosures>

PLEASE NOTE:

- All references to the Canastota NY DMS10 switch are associated with CLI code CNSTNYZADS0 and will not be repeated throughout this notice.
- All references to the Syracuse NY Packet End Office (PEO) switch are associated with CLI code SYRCNYSUPS0 and will not be repeated throughout this notice.

Description of the Planned Network Change(s):

The Verizon Canastota NY DMS10 switch, located at North Side Hickory Street, Canastota, NY 13032, will be retired and removed from the network after all traffic served by this switch is migrated to the Verizon Syracuse NY PEO switch, located at 201 South State Street, Syracuse, NY 13202. All traffic to be migrated includes, but is not limited to, Inter-LATA (ACCESS/FG-B-D/CLEC/IXC), wireless, and paging traffic.

Description of Reasonably Foreseeable Impact(s) of the Planned Change(s):

Competitive local exchange carriers (CLECs), interexchange carriers (IXCs, IECs), wireless carriers, and paging carriers will need to secure new trunk groups built to the Syracuse NY PEO switch or have existing trunk groups to that switch augmented. Carriers that are code holders for access connectivity in the Canastota NY DMS10 switch will be required to reposition the codes to the Syracuse NY PEO switch.

All ASRs for the Syracuse NY PEO switch must be received no later than December 15, 2020 in order to provide sufficient time to migrate the traffic described above. These direct end office trunk (DEOT) interconnections will support traffic migration for the Canastota NY DMS10 switch prior to its eventual decommissioning. Local Exchange Routing Guide (LERG) change effective dates will be posted prior to decommissioning of the Canastota NY DMS10 switch (**on or after February 1, 2021**). This will serve to guide interconnect re-routes of traffic for the one (1) native code currently served by the Canastota NY DMS10 switch to reflect the Syracuse NY PEO switch as the new home switch. All ASRs for the Syracuse NY PEO switch must carry the project code of CNSTNYZADS0.