



6929 N. Lakewood Avenue
Tulsa, OK 74117

PUBLIC NOTICE OF NETWORK CHANGE UNDER RULE 51.329(a)

January 14, 2025

Carrier: Verizon Maryland LLC, 1710 Underpass Way, Hagerstown, MD 21740

Contact: For additional information on these planned network changes, please contact:

Lisa M Thompson
Global Engineering and System Performance
Verizon Wireline Network Operations
13100 Columbia Pike
Silver Spring, MD 20904
(410) 375-9777

Michael Childs
Associate Director
Verizon Network Engineering
5055 North Point Pkwy.
Alpharetta, GA 30022
(469) 497-4466

Implementation Date: On or after **July 2, 2025**

Planned Network Change(s) Will Occur at the Following Maryland Location(s):

Verizon Central Office	Address	CLLI
Essex MD DMS100 Switch	1100 Old Eastern Avenue Essex, MD 21221	ESSXMDEXDS0
Annapolis MD C20 Switch	9 Northwest Street Annapolis, MD 21401	ANNPMDANPS1

This notice may also be viewed at:

<http://www.verizon.com/about/terms-conditions/network-disclosures>

PLEASE NOTE:

- All references to the Essex MD DMS100 switch are associated with CLLI code ESSXMDEXDS0 and will not be repeated throughout the notice.
- All references to the Annapolis MD C20 switch are associated with CLLI code ANNPMDANPS1 and will not be repeated throughout the notice.

Description of the Planned Network Change(s):

The Verizon Essex MD DMS100 switch, located at 1100 Old Eastern Avenue, Essex, MD 21221, will be retired and removed from the Verizon network after all traffic served by this switch is migrated to the Verizon Annapolis MD C20 switch, located at 9 Northwest Street, Annapolis, MD 21401. All traffic to be migrated to the Annapolis MD C20 switch includes, but is not limited to, Inter-LATA (ACCESS/FG-B-D/CLEC IXC), wireless and paging traffic.

Description of Reasonably Foreseeable Impact(s) of the Planned Change(s):

All carriers, including competitive local exchange carriers (CLECs), Interexchange carriers (IXCs, IECs), wireless carriers, and paging carriers, will need to provision new trunk groups to support direct end office trunking to the Annapolis MD C20 switch or have existing trunk groups to that switch augmented.

All ASRs for the Annapolis MD C20 must be received no later than **May 21, 2025**, to provide sufficient time to migrate the traffic described above. Local Exchange Routing Guide (LERG) change effective dates will be posted prior to decommissioning of the Essex MD DMS100 switch (**on or after July 2, 2025**). This will serve to guide interconnect re-routes of traffic for the NPA codes currently served by the Essex MD DMS100 switch to reflect the Annapolis MD C20 as the new home switch. All trunks to the Annapolis MD C20 switch must be in place prior to the decommissioning of the Essex MD DMS100 switch.