



6929 N. Lakewood Avenue
Tulsa, OK 74117

PUBLIC NOTICE OF NETWORK CHANGE UNDER RULE 51.329(a)

April 28, 2017

Carrier: Verizon New Jersey LLC, 540 Broad Street Newark, NJ 07102

Contact: For additional information on these planned network changes, please contact:

Gerald Perkins
Global Engineering and System Performance
Verizon Wireline Network Operations
13100 Columbia Pike, Floor 02, Pod B
Silver Spring, MD 20904
301-282-5456

John Dunne
Senior Manager – Global Engineering and System Performance
Verizon Wireline Network Operations
2147 HWY 27
South Edison, NJ 08817
732-593-4003

Implementation Date: On or after **November 1, 2017**

Planned Network Change(s) will occur at the following locations in New Jersey:

Verizon Central Office	Address	CLLI
Medford EWSD switch	4 Nelson Drive, Medford, NJ 08855	MDFDNJ01DS5
Camden CS2K switch	12 North Seventh Street, Camden, NJ 08104	CMDNNJCEPS0

This notice may also be viewed at <http://www.verizon.com/about/terms-conditions/network-disclosures>

Description of the Planned Network Change(s):

The Verizon Medford EWSD switch (MDFDNJ01DS5), located at 4 Nelson Drive, Medford, NJ 08855 will be decommissioned and replaced by the Verizon Camden CS2K switch (CMDNNJCEPS0) located at 12 North Seventh Street, Camden, NJ 08104. After all traffic served by the Medford EWSD switch (MDFDNJ01DS5) is migrated to the Camden CS2K switch (CMDNNJCEPS0), the Medford EWSD switch (MDFDNJ01DS5) will be decommissioned (retired). Network trunks will be interconnected through the Camden CS2K switch

(CMDNNJCEPS0). Once these changes are completed, the Camden CS2K switch (CMDNNJCEPS0) for all three (3) NPA NXX codes that are currently native to the Medford EWSD switch (MDFDNJ01DS5) will be reflected in the LERG. Traffic to be migrated to the Camden CS2K switch (CMDNNJCEPS0) includes, but is not limited to, Inter-LATA access traffic (including Feature Group B and D traffic), Intra-LATA traffic, and local traffic.

Description of Reasonably Foreseeable Impact(s) of the Planned Change(s):

All carriers, including competitive local exchange carriers (CLECs), interexchange carriers (IXCs, IECs), wireless and paging carriers, will need to submit new trunk groups built to the Camden CS2K switch (CMDNNJCEPS0) or have existing trunk groups to that switch augmented. Prior to decommissioning of the Medford EWSD switch (MDFDNJ01DS5) on or after November 1, 2017, LERG change effective dates will be posted. This will serve to guide interconnect re-routes of traffic for the three (3) native codes currently served by the Medford EWSD switch (MDFDNJ01DS5) to reflect the Camden CS2K switch (CMDNNJCEPS0) as the new home switch.

All ASRs for the Camden CS2K switch (CMDNNJCEPS0) must be received no later than October 6, 2017 in order to provide sufficient time to provision those facilities prior to the migration of the traffic described above. All trunks to the Camden switch (CMDNNJCEPS0) must be in place before the retirement of the Medford EWSD switch (MDFDNJ01DS5), which will occur on or after November 1, 2017. All ASRs for the Camden switch must include the project code of MDFDNJ01RP0.