



June 21 , 2024

Audience: CLEC,ISP,IXC,Resellers,Wireless,ILEC

## Subject : Verizon Partner Solutions Industry Letter: Waddington, NY DMS100 Remote Switch Retirement

### PLEASE NOTE:

- All references to the Waddington, NY DMS100 Remote switch are associated with CLLI code WDTNNYWYRS0 and will not be repeated throughout this letter.
- All references to the Syracuse, NY Packet End Office (PEO) switch are associated with CLLI code SYRCNYSUPS0 and will not be repeated throughout this letter.

As set out in the Verizon New York Inc. Public Notice of Network Change Under Rule 51.329(a), dated June 21, 2024, on or after January 2, 2025, the Waddington, NY DMS100 Remote switch will be retired and removed from the Verizon network as part of ongoing efforts to modernize the network.

**General Information:** The Exchange Code (NXX) in Numbering Plan Area (NPA) 315 currently residing in the Waddington, NY DMS100 Remote switch (see list in Table B below) will be moved to the Syracuse, NY PEO switch (see details in Table A below).

The native NPA NXX belonging to the Waddington, NY DMS100 Remote switch will be rehomed upon decommissioning of the switch and reflected in the Local Exchange Routing Guide (LERG) for the Syracuse, NY PEO switch. This will occur on or after January 2, 2025.

**Table A**

	From	To
Entity	Waddington, NY EO	Syracuse, NY PEO
CLLI	WDTNNYWYRS0	SYRCNYSUPS0
Product	DMS100 Remote	CS2K
Location	67 Lagrassse Street Waddington, NY 13694	201 S. State Street Syracuse, NY 13202
Point Code	247 028 018	247 028 011
NXX Type	EOC	EOC
OCN	9104	9104
Rate Center LATA	136	136
Rate Center	Waddington	Multi
State	NY	NY

**Table B**

NPA	NXX	TYPE	Switch
315	388	EOC	WDTNNYWYRS0

### Network Changes and Trunk Rearrangements:

The Syracuse, NY PEO switch will be the recipient office of traffic migrated from the Waddington, NY DMS100 Remote switch. Traffic bound for the code listed in Table B will be delivered via the Syracuse, NY Tandem (SYRCNYSU50T intra-lata SHA/SYRCNYSU50T inter-lata FG Access SHA).

After all traffic is migrated off of the Waddington, NY DMS100 Remote switch, it will be retired and removed from the network. CLECs, IXCs, IECs, wireless carriers and paging carriers will need to secure new trunk groups built to the Syracuse, NY PEO switch or have existing trunk groups to that switch augmented. Carriers that have direct end office trunks (DEOT) with access connectivity in the Waddington, NY DMS100 Remote switch will be required to reposition the codes to the Syracuse, NY PEO switch.

All ASRs for the Syracuse, NY PEO switch must be received no later than November 22, 2024, to provide sufficient time to migrate the traffic described above. All traffic must be moved by January 2, 2025. All ASRs for the Syracuse, NY PEO switch

must carry the project code of WDTNNYWYRS0.

Please adhere to industry standards using normal procedures that pertain to updates and changes to the LERG for the NXX subject to the retirement of the Waddington, NY DMS100 Remote switch.

For inquiries related to the proposed network reconfiguration, or to arrange a meeting with Verizon Network Engineering and Planning personnel, please contact your Verizon Account Manager.

We look forward to working with your team to enable uninterrupted service during the network redesign and transitioning of your traffic.

This communication is provided by the VPS Account Management Support. Requests to subscribe or unsubscribe to this distribution may be processed at:

<https://www22.verizon.com/wholesale/subscriptions/e-mail-subscriptions.html>