



6929 N. Lakewood Avenue
Tulsa, OK 74117

PUBLIC NOTICE OF NETWORK CHANGE UNDER RULE 51.329(a)

June 21, 2024

Carrier: Verizon Virginia LLC, 22001 Loudoun County Parkway, Ashburn, VA 20147

Contact: For additional information on these planned network changes, please contact:

Lisa M Thompson
Global Engineering and System Performance
Verizon Wireline Network Operations
13100 Columbia Pike
Silver Spring, MD 20904
(410) 375-9777

Quadre Washington
Senior Manager – Global Engineering and System Performance
Verizon Wireline Network Operations
320 Saint Paul Place
Baltimore, MD 21202
(410) 736-4261

Implementation Date: On or after **January 2, 2025**

Planned Network Change(s) Will Occur at the Following Virginia Location(s):

Verizon Central Office	Address	CLLI
Bluefield VA DMS10 Switch	102 Academy Street Bluefield, VA 24605	BLFDVAXADS0
Tazewell VA DMS100 Switch	366 W. Main Street Tazewell, VA 24651	TZWLVAXADS0

This notice may also be viewed at:

<http://www.verizon.com/about/terms-conditions/network-disclosures>

PLEASE NOTE:

- All references to the Bluefield VA DMS10 switch are associated with CLLI code BLFDVAXADS0 and will not be repeated throughout the notice.
- All references to the Tazewell VA DMS100 switch are associated with CLLI code TZWLVAXADS0 and will not be repeated throughout the notice.

Description of the Planned Network Change(s):

The Verizon Bluefield VA DMS10 switch, located at 102 Academy Street, Bluefield, VA 24605, will be retired and removed from the Verizon network after all traffic served by this switch is migrated to the Tazewell VA DMS100 switch, located at 366 W. Main Street, Tazewell, VA 24651. All traffic to be migrated to the Tazewell VA DMS100 switch includes, but is not limited to, Inter-LATA (ACCESS/FG-B-D/CLEC IXC), wireless and paging traffic.

Description of Reasonably Foreseeable Impact(s) of the Planned Change(s):

All carriers, including competitive local exchange carriers (CLECs), Interexchange carriers (IXCs, IECs), wireless carriers, and paging carriers, will need to provision new trunk groups to support direct end office trunking to the Tazewell VA DMS100 switch or have existing trunk groups to that switch augmented.

All ASRs for the Tazewell VA DMS100 switch must be received no later than **November 12, 2024**, to provide sufficient time to migrate the traffic described above. Local Exchange Routing Guide (LERG) change effective dates will be posted prior to decommissioning of the Bluefield VA DMS10 switch (**on or after January 2, 2025**). This will serve to guide interconnect re-routes of traffic for the NPA codes currently served by the Bluefield VA DMS10 switch to reflect the Tazewell VA DMS100 switch as the new home switch. All trunks to the Tazewell VA DMS100 switch must be in place prior to the decommissioning of the Bluefield VA DMS10 switch. All ASRs for the Tazewell VA DMS100 switch must carry a project code of **BLFDVAXADS0**.