



6929 N. Lakewood Avenue  
Tulsa, OK 74117

**PUBLIC NOTICE OF NETWORK CHANGE UNDER RULE 51.329(a)**

**June 21, 2024**

**Carrier:** Verizon Virginia LLC, 22001 Loudoun County Parkway, Ashburn, VA 20147

**Contact:** For additional information on these planned network changes, please contact:

Lisa M Thompson  
Global Engineering and System Performance  
Verizon Wireline Network Operations  
13100 Columbia Pike  
Silver Spring, MD 20904  
(410) 375-9777

Quadre Washington  
Senior Manager – Global Engineering and System Performance  
Verizon Wireline Network Operations  
320 Saint Paul Place  
Baltimore, MD 21202  
(410) 736-4261

**Implementation Date:** On or after **January 2, 2025**

**Planned Network Change(s) Will Occur at the Following Virginia Location(s):**

<b>Verizon Central Office</b>	<b>Address</b>	<b>CLLI</b>
Wakefield VA DMS10 Switch	313 E. High Street Wakefield, VA 23888	<b>WKFDVAXADS0</b>
Great Bridge VA DMS100 Switch	409 Battlefield Boulevard N. Great Bridge, VA 23320	<b>GRBRVAXADS0</b>

**This notice may also be viewed at:**

<http://www.verizon.com/about/terms-conditions/network-disclosures>

**PLEASE NOTE:**

- All references to the Wakefield VA DMS10 switch are associated with CLLI code WKFDVAXADS0 and will not be repeated throughout the notice.
- All references to the Great Bridge VA DMS100 switch are associated with CLLI code GRBRVAXADS0 and will not be repeated throughout the notice.

**Description of the Planned Network Change(s):**

The Verizon Wakefield VA DMS10 switch, located at 313 E. High Street, Wakefield, VA 23888, will be retired and removed from the Verizon network after all traffic served by this switch is migrated to the Great Bridge VA DMS100 switch, located at 409 Battlefield Boulevard N., Great Bridge, VA 23320. All traffic to be migrated to the Great Bridge VA DMS100 switch includes, but is not limited to, Inter-LATA (ACCESS/FG-B-D/CLEC IXC), wireless and paging traffic.

**Description of Reasonably Foreseeable Impact(s) of the Planned Change(s):**

All carriers, including competitive local exchange carriers (CLECs), Interexchange carriers (IXCs, IECs), wireless carriers, and paging carriers, will need to provision new trunk groups to support direct end office trunking to the Great Bridge VA DMS100 switch or have existing trunk groups to that switch augmented.

All ASRs for the Great Bridge VA DMS100 must be received no later than **November 12, 2024**, to provide sufficient time to migrate the traffic described above. Local Exchange Routing Guide (LERG) change effective dates will be posted prior to decommissioning of the Wakefield VA DMS10 switch (**on or after January 2, 2025**). This will serve to guide interconnect re-routes of traffic for the NPA codes currently served by the Wakefield VA DMS10 switch to reflect the Great Bridge VA DMS100 switch as the new home switch. All trunks to the Great Bridge VA DMS100 switch must be in place prior to the decommissioning of the Wakefield VA DMS10 switch. All ASRs for the Great Bridge VA DMS100 switch must carry a project code of **WKFDVAXADS0**.