



6929 N. Lakewood Avenue  
Tulsa, OK 74117

**PUBLIC NOTICE OF NETWORK CHANGE UNDER RULE 51.329(a)**

**November 1, 2024**

**Carrier:** Verizon Maryland LLC, 1710 Underpass Way, Hagerstown, MD 21740

**Contact:** For additional information on these planned network changes, please contact:

Lisa M Thompson  
Global Engineering and System Performance  
Verizon Wireline Network Operations  
13100 Columbia Pike  
Silver Spring, MD 20904  
(410) 375-9777

Michael Childs  
Associate Director  
Verizon Network Engineering  
5055 North Point Pkwy.  
Alpharetta, GA 30022  
(469) 497-4466

**Implementation Date:** On or after May 2, 2025

**Planned Network Change(s) Will Occur at the Following Maryland Location(s):**

Verizon Central Office	Address	CLLI
Frankford MD DMS100 Switch	5005 Frankford Avenue Baltimore, MD 21206	<b>BLTMMDFRDS0</b>
Annapolis MD C20 Switch	9 Northwest Street Annapolis, MD 21401	<b>ANNPMDANPS1</b>

**This notice may also be viewed at:**

<http://www.verizon.com/about/terms-conditions/network-disclosures>

**PLEASE NOTE:**

- All references to the Frankford MD DMS100 switch are associated with CLLI code BLTMMDFRDS0 and will not be repeated throughout the notice.
- All references to the Annapolis MD C20 switch are associated with CLLI code ANNPMDANPS1 and will not be repeated throughout the notice.

**Description of the Planned Network Change(s):**

The Verizon Frankford MD DMS100 switch, located at 5005 Frankford Avenue, Baltimore, MD 21206, will be retired and removed from the Verizon network after all traffic served by this switch is migrated to the Verizon Annapolis MD C20 switch, located at 9 Northwest Street, Annapolis, MD 21401. All traffic to be migrated to the Annapolis MD C20 switch includes, but is not limited to, Inter-LATA (ACCESS/FG-B-D/CLEC IXC), wireless and paging traffic.

**Description of Reasonably Foreseeable Impact(s) of the Planned Change(s):**

All carriers, including competitive local exchange carriers (CLECs), Interexchange carriers (IXCs, IECs), wireless carriers, and paging carriers, will need to provision new trunk groups to support direct end office trunking to the Annapolis MD C20 switch or have existing trunk groups to that switch augmented.

All ASRs for the Annapolis MD C20 switch must be received no later than **March 18, 2025**, to provide sufficient time to migrate the traffic described above. Local Exchange Routing Guide (LERG) change effective dates will be posted prior to decommissioning of the Frankford MD DMS100 switch (**on or after May 2, 2025**). This will serve to guide interconnect re-routes of traffic for the NPA codes currently served by the Frankford MD DMS100 switch to reflect the Annapolis MD C20 switch as the new home switch. All trunks to the Annapolis MD C20 switch must be in place prior to the decommissioning of the Frankford MD DMS100 switch. All ASRs for the Annapolis MD C20 switch must carry a project code of **BLTMDFRDS0**.