

Fixed Wireless Access (FWA) Availability Job Aid



Getting Started

From the Shop menu, click "Service Availability"

_		
	=	
	ð	
	Å	Shop Direct to Order
		Service Availability

Availability Configuration

- 1. Select Product Name: Broadband Services
- 2. Select Product Offering : Fixed Wireless Access
- 3. Choose Company Name from the drop down
- 4. Modify Group Name if needed, (minimum of 4 characters maximum of 12)

Product Name*	Product Offering*		Company*		
Broadband Services	Fixed Wireless Access	2	ABC Telephone	3	
Group Name*					
FWA111114250 4					

- 1. Enter Location
- 2. Enter Sublocation Information: Structure, Elevation, Unit (If needed)
- 3. Click + to enter New Sublocation Information: Structure, Elevation, Unit (If needed)
- 4. Click Save (optional)

Click Availability

No. Location*	Sub-Location	Information(Structur	re, Elevation, Unit)	
1 🗍 💿 14131 GOLTS CALDWELL RD,	★ ⊘			/
	4 Save Availability			-
	Location: :			
	Location : Additional Location Details-St	b-Loc :		
	Location : Additional Location Details-S Structure Type: Select Structure	Elevation Type:	Unit Type: on V Select Unit	
	Location : Additional Location Details-S Structure Type: Select Structure Structure Wake*	Elevation Type:	Unit Type: on	



Fixed Wireless Access (FWA) Availability Job Aid



Wireless broadband connectivity between two fixed points

Availability Configuration

Perform the following actions when needed"

- 1. Use the Search bar to query a transaction
- 2. Click outer box, to Download csv file
- 3. Click Refresh to reload page
- 4. Click outer box to Edit/Group
- 5. Click the outer box to Delete row

Click to Submit

٩	1	T				3	4	5	
2 ± Downloa	d					C ⁴ Refresh	🖍 Edit Group	Delete	L'' Submit
	Request ID 1	Location 1	Sub-Location Information	FWA Available	Max Speed	Status 1,	L	Expires 1	
	FWA111114250-001	14131 GOLTS CALDWELL	NA	Yes	50 Mbps / 50 Mbps	Open		02/09/2024	

Take the following step to imitate a FWA Order:

- 1. Contact b2bverizonwireless.com to place your FWA order
- 2. Return to **Dashboard**

